




**SX011828 Cross Cylindrical Roller Bearing INA
Structure**



SX011828 Bearing 2D drawings and 3D CAD models

Bearing No. SX011828

Size	140x175x18 mm
Bore Diameter	140 mm
Outer Diameter	175 mm
Width	18 mm
d_i - 140 mm / Tolerance: K6 +0,004 / -0,021	140 mm / Tolerance: K6 +0,004 / 0,021
D_a - 175 mm / Tolerance: h6 -0,025	175 mm / Tolerance: h6 0,025
H - 18 mm / Tolerance: +/-0,12	18 mm / Tolerance: +/-0,12
D_i	157,7 mm
D_M	157 mm
d_a	156,3 mm
h - 18 mm / Tolerance: E8 -0,01	18 mm / Tolerance: E8 0,01
r_{min}	1,1 mm
S	1,5 mm
m	1,1 kg / Weight
	0,015 mm / Running accuracy, radial
	0,010 mm / Running accuracy, axial
$S_{r min}$	0,005 mm / Min. radial bearing clearance
$S_{r max}$	0,020 mm / Max. radial bearing clearance
$S_{k min}$	0,010 mm / Min. axial tilting clearance



UI BEARING TECHNOLOGY CO., LTD

$S_{k \max}$	0,04 mm / Max. axial tilting clearance
RLO_{\max}	0,004 mm / Low clearance: Radial clearance
RLO_{\max}	0,008 mm / Low clearance: Preload
VSP_{\min}	0,005 mm / Min. bearing preload
VSP_{\max}	0,020 mm / Max. bearing preload
C_a	63000 N / Dynamic load rating (axial)
C_{0a}	240000 N / Static load rating (axial)
C_r	45000 N / Dynamic load rating (radial) (for radial load only)
C_{0r}	96000 N / Static load rating (radial) (for radial load only)
$n_{G \text{ Oil}}$	975 1/min / Limiting speed for oil lubrication with normal clearance
$n_{G \text{ Fett}}$	485 1/min / Limiting speed for grease lubrication with normal clearance
$n_{G \text{ Oil}}$	485 1/min / Limiting speed for oil lubrication with preload
Category	Ball Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	1.432
EAN	4012802440621
Product Group	B00234